

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number NYD882793937	2. Page 1 of 1	3. Emergency Response Phone (888)888-7464	4. Manifest Tracking Number 004487646 JJK		
5. Generator's Name and Mailing Address Taconic 136 Coonbrook Road Generator's Phone: 518 858-3202 Petersburgh NY 12138			Generator's Site Address (if different than mailing address) 136 Coonbrook Road Petersburgh, NY 12138				
6. Transporter 1 Company Name Precision Industrial Maint., Inc. (618) 346-5800			U.S. EPA ID Number NY0001031814				
7. Transporter 2 Company Name Clean Venture, Inc. (908) 355-5800			U.S. EPA ID Number NJ0000027193				
8. Designated Facility Name and Site Address Cycle Chem, Inc 217 South First Street Facility's Phone: (908) 355-5800 Elizabeth NJ 07206			U.S. EPA ID Number NJD002200046				
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
			No.	Type			
	X	1. RQ, WASTE Flammable liquids, nos 3, UN1993, PGII (Toluene)	4	DM	1600	P	F006 B D001
	X	2. RQ, WASTE Flammable solids, organic, nos 4.1, UN1325, PGII (Toluene)	7	DM	1400	P	F006 B D001
	X	3. WASTE Organic peroxide type F, liquid 5.2, UN3109, PGII	3	DF	150	P	T D001
	4.						
14. Special Handling Instructions and Additional Information 1. SEE PROFILE ERG#128 waste adhesive liquids 4x55 2. SEE PROFILE ERG#133 solvent rags & filters 7x55 3. SEE PROFILE ERG#145 NYSDEC#4A285 Trans #1 Truck # 18860PA 4. (pail liners) 3x5 80303							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Officer's Printed/Typed Name ANDREW KAWCZAK		Signature <i>Andrew Kawczak</i>		Month Day Year 10 10 08			
INTL	16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____						
TRANSPORTER	17. Transporter Acknowledgment of Receipt of Materials						
	Transporter 1 Printed/Typed Name Scott Santelli		Signature <i>Scott Santelli</i>		Month Day Year 10 10 08		
	Transporter 2 Printed/Typed Name		Signature		Month Day Year		
DESIGNATED FACILITY	18. Discrepancy						
	18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection						
	Manifest Reference Number:						
	18b. Alternate Facility (or Generator)				U.S. EPA ID Number		
	Facility's Phone:						
	18c. Signature of Alternate Facility (or Generator)					Month	Day Year
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1.		2.		3.		4.	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name				Signature		Month Day Year	

U.S. EPA Form 8700-22

Read all instructions before completing this form.

1. This form has been designed for use on a 12-pitch (elite) typewriter which is also compatible with standard computer printers; a firm point pen may also be used—press down hard.
2. Federal regulations require generators and transporters of hazardous waste and owners or operators of hazardous waste treatment, storage, and disposal facilities to complete this form (EPA Form 8700-22) and, if necessary, the continuation sheet (EPA Form 8700-22A) for both inter- and intrastate transportation of hazardous waste.

Public reporting burden for this collection of information is estimated to average: 30 minutes for generators, 10 minutes for transporters, and 25 minutes for owners or operators of treatment, storage, and disposal facilities. This includes time for reviewing instructions, gathering data, completing, reviewing and transmitting the form. Any correspondence regarding the PRA burden statement for the manifest must be sent to the Director of the Collection Strategies Division in EPA's Office of Information Collection at the following address: U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW., Washington, DC 20460. Do not send the completed form to this address.

I. Instructions for Generators

Item 1. Generator's U.S. EPA Identification Number

Enter the generator's U.S. EPA twelve digit identification number, or the State generator identification number if the generator site does not have an EPA identification number.

Item 2. Page 1 of ____

Enter the total number of pages used to complete this Manifest (i.e., the first page (EPA Form 8700-22) plus the number of Continuation Sheets (EPA Form 8700-22A), if any).

Item 3. Emergency Response Phone Number

Enter a phone number for which emergency response information can be obtained in the event of an incident during transportation. The emergency response phone number must:

1. Be the number of the generator or the number of an agency or organization who is capable of and accepts responsibility for providing detailed information about the shipment;
2. Reach a phone that is monitored 24 hours a day at all times the waste is in transportation (including transportation related storage); and
3. Reach someone who is either knowledgeable of the hazardous waste being shipped and has comprehensive emergency response and spill cleanup/incident mitigation information for the material being shipped or has immediate access to a person who has that knowledge and information about the shipment.

Note: Emergency Response phone number information should only be entered in Item 3 when there is one phone number that applies to all the waste materials described in Item 9b. If a situation (e.g., consolidated shipments) arises where more than one Emergency Response phone number applies to the various wastes listed on the manifest, the phone numbers associated with each specific material should be entered after its description in Item 9b.

Item 4. Manifest Tracking Number

This unique tracking number must be pre-printed on the manifest by the forms printer.

Item 5. Generator's Mailing Address, Phone Number and Site Address

Enter the name of the generator, the mailing address to which the completed manifest signed by the designated facility should be mailed, and the generator's telephone number. Note, the telephone number (including area code) should be the normal business number for the generator, or the number where the generator or his authorized agent may be reached to. Provide instructions in the event the designated and/or alternate (if any) facility rejects some or all of the shipment. Also enter the physical site address from which the shipment originates only if this address is different than the mailing address.

Item 6. Transporter 1 Company Name, and U.S. EPA ID Number

Enter the company name and U.S. EPA ID number of the first transporter who will transport the waste. Vehicle or driver information may not be entered here.

Item 7. Transporter 2 Company Name and U.S. EPA ID Number

If applicable, enter the company name and U.S. EPA ID number of the second transporter who will transport the waste. Vehicle or driver information may not be entered here.

If more than two transporters are needed, use a Continuation Sheet(s) (EPA Form 8700-22A).

Item 8. Designated Facility Name, Site Address, and U.S. EPA ID Number

Enter the company name and site address of the facility designated to receive the waste listed on this manifest. Also enter the facility's phone number and the U.S. EPA twelve digit identification number of the facility.

Item 9. U.S. DOT Description (Including Proper Shipping Name, Hazard Class or Division, Identification Number, and Packing Group)

Item 9a. If the wastes identified in Item 9b consist of both hazardous and nonhazardous materials, then identify the hazardous materials by entering an "X" in this Item next to the corresponding hazardous material identified in Item 9b.

Item 9b. Enter the U.S. DOT Proper Shipping Name, Hazard Class or Division, Identification Number (UN/NA) and Packing Group for each waste as identified in 49 CFR 172. Include technical name(s) and reportable quantity references, if applicable.

Note: If additional space is needed for waste descriptions, enter these additional descriptions in Item 27 on the Continuation Sheet (EPA Form 8700-22A). Also, if more than one Emergency Response phone number applies to the various wastes described in either Item 9b or Item 27, enter applicable Emergency Response phone numbers immediately following the shipping descriptions for those Items.

Item 10. Containers (Number and Type)

Enter the number of containers for each waste and the appropriate abbreviation from Table I (below) for the type of container.

TABLE I.—TYPES OF CONTAINERS

BA = Burlap, cloth, paper, or plastic bags.	DT = Dump truck.
CF = Fiber or plastic boxes, cartons, cases.	DW = Wooden drums, barrels, kegs.
CM = Metal boxes, cartons, cases (including roll-offs).	HG = Hopper or gondola cars.
CW = Wooden boxes, cartons, cases.	TC = Tank cars.
CY = Cylinders.	TP = Portable tanks.
DF = Fiberboard or plastic drums, barrels, kegs.	TT = Cargo tanks (tank trucks).
DM = Metal drums, barrels, kegs.	

Item 11. Total Quantity

Enter, in designated boxes, the total quantity of waste. Round partial units to the nearest whole unit, and do not enter decimals or fractions. To the extent practical, report quantities using appropriate units of measure that will allow you to report quantities with precision. Waste quantities entered should be based on actual measurements or reasonably accurate estimates of actual quantities shipped. Container capacities are not acceptable as estimates.

Item 12. Units of Measure (Weight/Volume)

Enter, in designated boxes, the appropriate abbreviation from Table II (below) for the unit of measure.

TABLE II.—UNITS OF MEASURE

G = Gallons (liquids only).	N = Cubic Meters.
K = Kilograms.	P = Pounds.
L = Liters (liquids only).	T = Tons (2000 Pounds).
M = Metric Tons (1000 kilograms).	Y = Cubic Yards.

Note: Tons, Metric Tons, Cubic Meters, and Cubic Yards should only be reported in connection with very large bulk shipments, such as rail cars, tank trucks, or barges.

Item 13. Waste Codes

Enter up to six federal and state waste codes to describe each waste stream identified in Item 9b. State waste codes that are not redundant with federal codes must be entered here, in addition to the federal waste codes which are most representative of the properties of the waste.

Item 14. Special Handling Instructions and Additional Information


1. Generators may enter any special handling or shipment-specific information necessary for the proper management or tracking of the materials under the generator's or other handler's business processes, such as waste profile numbers, container codes, bar codes, or response guide numbers. Generators also may use this space to enter additional descriptive information about their shipped materials, such as chemical names, constituent percentages, physical state, or specific gravity of wastes identified with volume units in Item 12.
2. This space may be used to record limited types of federally required information for which there is no specific space provided on the manifest, including any alternate facility designations; the manifest tracking number of the original manifest for rejected wastes and residues that are re-shipped under a second manifest; and the specification of PCB waste descriptions and PCB out-of-service dates required under 40 CFR 761.207. Generators, however, cannot be required to enter information in this space to meet state regulatory requirements.

Item 15. Generator's/Officer's Certifications

1. The generator must read, sign, and date the waste minimization certification statement. In signing the waste minimization certification statement, those generators who have not been exempted by statute or regulation from the duty to make a waste minimization certification under section 3002(b) of RCRA are also certifying that they have complied with the waste minimization requirements. The Generator's Certification also contains the required attestation that the shipment has been properly prepared and is in proper condition for transportation (the shipper's certification). The content of the shipper's certification statement is as follows: "I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent." When a party other than the generator prepares the shipment for transportation, this party may also sign the shipper's certification statement as the offeror of the shipment.
2. Generator or Offeror personnel may preprint the words, "On behalf of" in the signature block or may hand write this statement in the signature block prior to signing the generator/offeror certification, to indicate that the individual signs as the employee or agent of the named principal.

Note: All of the above information except the handwritten signature required in Item 15 may be pre-printed.

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number NYD982793937	2. Page 1 of 1	3. Emergency Response Phone (888)888-7464	4. Manifest Tracking Number 004487646 JJK		
5. Generator's Name and Mailing Address Taconic 136 Coonbrook Road		Generator's Site Address (if different than mailing address) 136 Coonbrook Road Petersburgh, NY 12138					
Generator's Phone: 518 658-3202		Petersburgh NY 12138					
6. Transporter 1 Company Name Precision Industrial Maint., Inc.		(518) 346-5800		U.S. EPA ID Number NY0001031814			
7. Transporter 2 Company Name Clean Venture, Inc		(908) 355-5800		U.S. EPA ID Number NJ0000027193			
8. Designated Facility Name and Site Address Cycle Chem, Inc 217 South First Street (908) 355-5800 Elizabeth NJ 07206		U.S. EPA ID Number NJD002200046					
Facility's Phone:							
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No. Type		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
	X	1. RQ, WASTE Flammable liquids, nos 3, UN1993, PGII (Toluene)	4	DM	1600	P	F005 B
	X	2. RQ, WASTE Flammable solids, organic, nos 4.1, UN1325, PGII (Toluene)	7	DM	1400	P	F005 B
	X	3. WASTE Organic peroxide type F, liquid 5.2, UN3109, PGII	3	DF	150	P	T
		4.					
14. Special Handling Instructions and Additional Information 1. SEE PROFILE ERG#128 waste adhesive liquids 4x55 2. SEE PROFILE ERG#133 solvent rags & filters 7x5.5 3. SEE PROFILE ERG#145 (pail liners) 3x5 VK31-12 4. SEE PROFILE ERG#145 NYSDEC#4A285 Trans #1 Truck #18860PA 80303							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offor's Printed/Typed Name ANDREW KAWCZAK		Signature <i>Andrew Kawczak</i>		Month Day Year 10 10 08			
INT'L	16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S.		Port of entry/exit: Date leaving U.S.:				
	Transporter signature (for exports only):						
TRANSPORTER	17. Transporter Acknowledgment of Receipt of Materials						
	Transporter 1 Printed/Typed Name Scott Santelli		Signature <i>Scott Santelli</i>		Month Day Year 10 10 08		
DESIGNATED FACILITY	Transporter 2 Printed/Typed Name Zach Maldonado		Signature <i>Zach Maldonado</i>		Month Day Year 10 10 08		
	18. Discrepancy						
DESIGNATED FACILITY	18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection						
	Manifest Reference Number:						
	18b. Alternate Facility (or Generator)		U.S. EPA ID Number				
	Facility's Phone:						
DESIGNATED FACILITY	18c. Signature of Alternate Facility (or Generator)		Month Day Year				
	19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)						
	1. L1C61	2. H141	3. H141	4.			
	20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a						
DESIGNATED FACILITY	Printed/Typed Name Mylene Gonzalez		Signature <i>Mylene Gonzalez</i>		Month Day Year 10 12 08		



**UNDERLYING HAZARDOUS CONSTITUENTS
UNIVERSAL TREATMENT STANDARDS**

Regulated constituent Organic Constituents Common name	CAS#	WW mg/l	NWW mg/kg
A2213	30558-43-1	0.042	1.4
Acenaphthylene	208-96-8	0.59	3.4
Acenaphthene	83-32-9	0.059	3.4
Acetone	67-64-1	0.28	160
Acetonitrile	75-05-8	0.56	38
Acetophenone	96-86-2	0.010	9.7
2-Acetylaminofluorene	53-96-3	0.059	140
Acrilan	107-02-8	0.29	NA
Acrylamide	79-06-1	19	23
Acrylonitrile	107-13-1	0.24	84
Aldicarb sulfone	1646-88-4	0.056	0.28
Aldrin	309-00-2	0.021	0.066
4-Aminobiphenyl	92-67-1	0.13	NA
Aniline	62-53-3	0.81	14
Anthracene	120-12-7	0.059	3.4
Aramite	140-57-8	0.36	NA
alpha-BHC	319-84-6	0.00014	0.066
beta-BHC	319-85-7	0.00014	0.066
delta-BHC	319-86-8	0.023	0.066
gamma-BHC	58-89-9	0.0017	0.066
Barban	101-27-9	0.056	1.4
Bendiocarb	22781-23-3	0.056	1.4
Bendiocarb phenol	22961-82-6	0.056	1.4
Benzonitrile	17804-35-2	0.056	1.4
Benz (a) anthracene	71-42-1	0.14	10
Benzal chloride	56-55-3	0.059	3.4
Benzal chloride	98-87-3	0.055	6.0
Benzo (b) fluoranthene	205-99-2	0.11	6.8
(difficult to distinguish from benzo (k) fluoranthene)			
Benzo (k) fluoranthene	207-08-9	0.11	6.8
(difficult to distinguish from benzo (b) fluoranthene)			
Benzo (g,h,i) perylene	191-24-2	0.0055	1.2
Benzo (a) pyrene	50-32-8	0.061	3.4
Bromodichloromethane	75-27-4	0.35	15
Bromodichloromethane	74-83-9	0.11	15
4-Bromophenyl phenyl ether	101-55-3	0.055	15
n-Butyl alcohol	71-36-3	5.6	2.6
Butylate	2008-41-5	0.042	1.4
Butyl benzyl phthalate	85-68-7	0.017	28
2-sac-Butyl-4,6-dinitrophenol	88-85-7	0.066	2.5
Dinoseb	63-25-2	0.006	0.14
Carbaryl	10605-21-7	0.056	1.4
Carbazin	1563-66-2	0.066	0.14
Carbofuran	1563-38-8	0.056	1.4
Carbofuran phenol	75-15-0	3.8	4.8 mg/l TCLP
Carbon disulfide	75-23-5	0.057	6.0
Carbon Tetrachloride	55285-14-8	0.028	1.4
Carbosulfan	57-74-9	0.0033	0.26
Chloradane (alpha and gamma isomers)	106-47-8	0.46	16
p-Chloroaniline	108-90-7	0.057	6.0
Chlorobenzene	510-15-6	0.10	NA
Chlorobenzilate	125-99-8	0.057	1.28
2-Chloro-1,3-butadiene	124-48-1	0.057	15
Chlorodibromomethane	75-00-3	0.27	6.0
Chloroethane	111-91-1	0.036	7.2
Bis(2-Chloroethoxy) methane	111-44-4	0.033	6.0
Bis(2-Chloroethyl) ether	67-66-3	0.046	6.0
Chloroform	29638-32-9	0.055	7.2
Bis (2-Chloroisopropyl) ether	59-50-7	0.018	14
p-Chloro-m-cresol	110-75-8	0.062	NA
2-Chloroethyl vinyl ether	74-87-3	0.19	30
Chloromethane/Methyl chloride	101-56-7	0.056	5.6
2-Chloronaphthalene	57-57-8	0.044	3.4
2-Chlorophenol	107-05-1	0.036	30
3-Chloropropylene	218-01-9	0.059	3.4
Chrysene	95-48-7	0.11	5.6
o-cresol	108-39-4	0.77	5.6
m-cresol (difficult to distinguish from p-cresol)			
p-cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6
m-Cumenyl methylcarbonate	64-00-6	0.056	1.4
Cyclohexanone	108-94-1	0.36	0.75 mg/l TCLP
o,p'-DDD	53-19-0	0.023	0.087
p,p'-DDD	72-54-8	0.023	0.087
o,p'-DDE	3424-82-6	0.031	0.087
p,p'-DDE	72-55-9	0.031	0.087
p,p'-DDT	789-02-6	0.0039	0.087
p,p'-DDT	50-29-3	0.0039	0.087
Dibenz (a,h) anthracene	53-70-3	0.055	88.2
Dibenz (a,e) pyrene	192-65-4	0.061	NA
1,2-Dibromo-3-chloropropane	96-12-8	0.11	15
1,2-Dibromoethane/Ethylene dibromide	106-93-4	0.028	15
Dibromomethane	74-95-3	0.11	15
m-Dichlorobenzene	541-73-1	0.036	6.0
o-Dichlorobenzene	95-50-1	0.088	6.0
p-Dichlorobenzene	106-46-7	0.090	6.0
Dichlorodifluoromethane	75-71-8	0.23	7.2
1,1-Dichloroethane	75-43-3	0.059	6.0
1,2-Dichloroethane	107-06-2	0.21	6.0
1,1-Dichloroethylene	75-35-4	0.025	6.0
trans-1,2-Dichloroethylene	156-60-5	0.054	30
2,4-Dichlorophenol	120-83-2	0.044	14
2,6-Dichlorophenol	87-65-0	0.044	14
2,4-Dichlorophenoxyacetic acid/2,4-D	94-75-7	0.72	10
1,2-Dichloropropane	78-87-5	0.85	18
cis-1,2-Dichloropropylene	10061-01-5	0.036	18
trans-1,2-Dichloropropylene	10061-02-6	0.036	18
Dieldrin	60-57-1	0.017	0.13
Diethylene glycol, dicarbamate	5952-26-1	0.056	1.4
Diethyl phthalate	84-66-2	0.20	28
Dimethylarsinoazobenzene	60-11-7	0.13	NA
2,4-Dimethyl phenol	105-67-9	0.036	14
Dimethyl phthalate	131-11-3	0.047	28
Dimetilan	644-64-4	0.056	1.4
Di-n-butyl phthalate	84-74-2	0.057	28
1,4-Dinitrobenzene	100-25-4	0.32	2.3
4-Dinitro-o-cresol	534-52-1	0.28	160
4,4-Dinitrophenol	51-28-5	0.12	160
2,4-Dinitrotoluene	121-14-2	0.32	140
2,6-Dinitrotoluene	606-20-2	0.55	28
Di-n-octyl phthalate	228-84-0	0.017	28
Di-n-propylnitrosamine	621-64-7	0.40	14
1,4-Dioxane	123-91-1	12.0	170
Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	13
Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	13
1,2-Diphenylhydrazine	122-66-7	0.087	NA
Disulfoton	298-04-4	0.017	6.2
Dithiocarbamates (total)	NA	0.028	28
Endosulfan I	959-98-8	0.023	0.066
Endosulfan	1332-65-9	0.023	0.13
Endosulfan sulfate	1031-07-8	0.029	0.13
Endrin	72-20-8	0.0028	0.13
Endrin aldehyde	7421-93-4	0.025	0.13
EPTC	759-94-4	0.042	1.4
Ethyl acetate	141-78-6	0.34	33
Ethyl benzene	100-41-4	0.057	10
Ethyl cyanide/Propanenitrile	107-12-0	0.24	360
Ethyl ether	60-29-7	0.12	160
bis (2-Ethylhexyl) phthalate	117-81-7	0.28	28
Ethyl methacrylate	97-63-2	0.14	160
Ethylene oxide	75-21-8	0.12	NA
Famphur	52-85-7	0.017	15
Fluoranthene	206-44-0	0.068	3.4
Fluorene	86-73-7	0.059	3.4
Formetanate hydrochloride	24422-53-4	0.056	1.4
Formparanate	1702-57-7	0.056	1.4
Heptachlor	76-44-8	0.0012	0.066
Heptachlor epoxide	1024-57-3	0.016	0.066
Hexachlorobenzene	108-74-1	0.055	10
Hexachlorobutadiene	87-68-3	0.055	5.6
Hexachlorocyclopentadiene	77-47-4	0.057	2.4
HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063	0.001
HxCDFs (All Hexachlorodibenzo-furans)	NA	0.000063	0.001
Hexachloroethane	67-72-1	0.055	30
Hexachloropropylene	1888-71-7	0.035	30
Indene (1,2,3-c,d) pyrene	193-39-5	0.0055	3.4
Isodurene	74-48-4	0.19	65
Isobutyl alcohol	78-83-1	5.6	170
Isodrin	465-73-6	0.021	0.066
Isolan	119-38-0	0.056	1.4
Isosafrole	120-58-1	0.081	2.6
Kepon	143-50-0	0.0011	0.13
Methylacrylonitrile	126-98-7	0.24	84
Methanol	67-56-1	5.6	0.75 mg/l TCLP
Methapyrene	91-80-5	0.081	1.5
Methiocarb	2032-65-7	0.056	1.4
Methoxychlor	10282-77-5	0.028	1.4
Methoxychlor	72-43-5	0.25	0.18
3-Methylcholanthrene	56-49-5	0.0055	15
4-Methylene bis(2-chloroaniline)	101-14-4	0.50	30
Methylene chloride	75-09-2	0.089	30
Methyl ethyl ketone	78-93-3	0.28	36
Methyl isobutyl ketone	108-10-1	0.14	33
Methyl methacrylate	80-62-6	0.14	160
Methyl methanesulfonate	66-27-3	0.018	NA
Methyl parathion	298-00-0	0.014	4.6
Methoxychlor	1129-41-5	0.058	1.4
Mexacarbate	315-18-4	0.056	1.4
Molinate	2212-67-1	0.042	1.4
Naphthalene	91-20-3	0.059	5.6
2-Naphthylamine	91-59-8	0.52	NA
o-Nitroaniline	88-74-4	0.27	14
p-Nitroaniline	100-01-6	0.028	28
Nitrobenzene	98-95-3	0.068	14
5-Nitro-o-toluidine	99-55-8	0.32	28
p-Nitrophenol	100-02-7	0.028	1.4
N-Nitrosodimethylamine	55-18-5	0.40	28
N-Nitrosodimethylamine	62-75-9	0.40	2.3
N-Nitroso-di-n-butylamine	924-16-3	0.40	17
N-Nitrosomethylamine	10595-95-6	0.40	2.3
N-Nitrosomorpholine	59-89-2	0.40	2.3
N-Nitrosopiperidine	100-75-4	0.013	35
N-Nitrosopyrrolidine	930-55-2	0.013	35
Oxamyl	23135-22-0	0.056	0.28
Parathion	56-38-2	0.014	4.6
Total PCBs (sum of all PCB isomers, or all Aroclors)	1336-36-3	0.10	10
Pebulate	1114-71-2	0.042	1.4
Pentachlorobenzene	606-93-5	0.055	10
PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063	0.001
PeCDFs (All Pentachlorodibenzofurans)	NA	0.000035	0.001
Pentachloroethane	76-01-7	0.055	6.0
Pentachlorobenzene	62-68-5	0.055	6.0
Pentachlorophenol	87-66-5	0.089	7.4
Phenacetin	62-44-2	0.081	16
Phenanthrene	85-01-8	0.059	5.6
Phenol	108-95-2	0.039	6.2
o-phenylenediamine	95-54-5	0.056	5.6
Phorate	298-02-2	0.021	4.6
Phthalic acid	100-21-0	0.055	28
Phthalic anhydride	85-44-9	0.055	28
Phytostigmine	57-47-6	0.056	1.4
Phytostigmine sulfate	57-47-7	0.056	1.4
Propacarb	2631-37-0	0.056	1.4
Propamide	23950-58-5	0.093	1.5
Propam	122-42-9	0.056	1.4
Propoxur	114-26-1	0.056	1.4
Prothiobacarb	52889-80-9	0.042	1.4
Pyrene	129-00-0	0.067	8.2
Pyridine	110-86-1	0.014	16
Safrole	94-59-7	0.081	22
Silver/2,4,5-TP	93-72-1	0.72	7.9
1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
TCCDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.000063	0.001
TCCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001
1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
1,1,2,2-Tetrachloroethane	79-34-5	0.057	6.0
Tetrachloroethylene	127-18-4	0.056	6.0
2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4
Thiodicarb	59669-26-0	0.019	1.4
Thiophanate-methyl	23564-05-8	0.056	1.4
Timpane	26419-73-8	0.056	0.28
Toluene	108-88-3	0.080	10
Toxaphene	8001-35-2	0.0095	2.6
Triallate	2303-17-5	0.042	1.4
Trichloromethane/Bromofom	75-25-2	0.63	15
2,4,6-Trichlorophenol	118-79-6	0.035	7.4
1,2,4-Trichlorobenzene	120-82-1	0.055	19
1,1,1-Trichloroethane	71-55-6	0.054	6.0
1,1,2-Trichloroethane	79-00-5	0.054	6.0
Trichloroethylene	79-01-6	0.054	6.0
Trichloromonofluoromethane	75-69-4	0.020	30
2,4,5-Trichlorophenol	95-95-4	0.18	7.4
2,4,6-Trichlorophenol	88-06-2	0.035	7.4
2,4,5-Trichlorophenoxyacetic acid	93-76-5	0.72	7.9
1,2,3-Trichloropropane	96-18-4	0.85	30
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	0.057	30
Trichloramine	101-44-8	0.081	1.5
tris-(2,3-Dibromopropyl) phosphate	126-72-7	0.11	0.10
Verolate	1929-77-7	0.042	1.4
Vinyl chloride	75-01-4	0.27	6.0
Xylenes-mixed isomers (sum of o-, m- and p- xylene concentrations)	1330-20-9	0.32	30
Inorganic Constituents			
Antimony	7440-36-0	1.9	1.15 mg/l TCLP
Arsenic	7440-38-2	1.9	5.0 mg/l TCLP
Barium	7440-39-3	1.2	21 mg/l TCLP
Beryllium	7440-41-7	0.82	1.22 mg/l TCLP
Cadmium	7440-43-9	0.69	0.11 mg/l TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/l TCLP
Cyanides (Total) 4	57-12-5	1.2	590
Cyanides (Amendable)	57-12-5	0.85	30
Fluoride	16984-48-8	35	NA
Lead	7439-92-1	0.69	0.75 mg/l TCLP
Mercury - NWW from Retort	7439-97-6	NA	0.20 mg/l TCLP
Mercury - All Others	7439-97-6	0.15	0.025 mg/l TCLP
Nickel	7440-02-0	3.98	11 mg/l TCLP
Selenium	7782-49-2	0.82	5.7 mg/l TCLP
Silver	7440-24-4	0.43	0.14 mg/l TCLP
Sulfide	18986-25-8	14	NA
Thallium	7440-28-0	1.4	0.20 mg/l TCLP
Vanadium	7440-62-2	4.3	1.6 mg/l TCLP
Zinc	7440-66-6	2.61	4.3 mg/l TCLP

- (1) CAS means Chemical Abstract Services. When the waste code and/or regulated constituents are described as a combination of a chemical its salts, and/or esters, the CAS number is given for the parent compound only.
- (2) Concentration standards for wastewaters are expressed in mg/l and are

TACONIC

Facsimile Cover Sheet

To: Becky	From: Andy KAWCZAK
At Company: NJ DEP	
Co. Phone no.: 609 292 8164	
Co. Fax no.: 609 984 9658	
Date: 1/2/09 ~ 12:30PM	No. of pages including cover sheet: 2

Notes/Comments:

**OCT 10th 2008 MANIFEST
FROM TACONIC**

FYI

Andy KAWCZAK

Tel. (518) 658-3202 -- Fax. (518) 658-3204
P.O. Box 69 - 136 Coon Brook Road - Petersburg, NY 12138